

# From Conventional to Semantic Communications based on Deep Learning

Professor Geoffrey Ye Li  
ITP Lab, Department of Electrical and Electronics Engineering  
Imperial College London  
London, UK

# Outline

- **Overview**
- **DL-based Conventional Communications**
  - \* **Block-Wise**
  - \* **End-to-End**
- **DL-based Semantic Communications**
- **Conclusions**

# Motivation

## ➤ Challenges in current/conventional communication systems

- ❑ Mathematical models versus practical imperfection
- ❑ Block structures versus global optimality
- ❑ Complexity and performance of optimization
- ❑ Spectrum efficiency limited by Shannon capacity


## ➤ Why deep learning?

- ❑ No need for models for data-driven method
- ❑ End-to-end loss optimization for global optimality
- ❑ Deep learning enabled end-to-end and semantic communications


# Block Structure or End-to-End for Conventional Communications

Conventional Communications:

Transmit symbols or bits, following Shannon Limit




# DL in Physical Layer Conventional Communications



- Z.-J. Qin, H. Ye, G. Y. Li, and B.-H. Juang, "Deep learning in physical layer communications," *IEEE Wireless Commun.*, vol. 26, no. 2, pp. 93-98, April 2019.
- H.-T. He, S. Jin, C.-K. Wen, F.-F. Gao, G. Y. Li, and Z.-B. Xu, "Model-driven deep learning for physical layer communications," *IEEE Wireless Commun.*, vol. 26, no. 5, pp. 77- 83, Oct. 2019
- H. Ye, G. Y. Li, and B.-H. F. Juang, "Power of deep learning for channel estimation and signal detection in OFDM systems," *IEEE Wireless Commun. Lett.*, vol. 7, no. 1, pp. 114 - 117, Feb. 2018.

# From Symbol to Semantic Transmission


- **Three Levels of Communications: Shannon and Weaver**
  - **Transmission of symbols (Shannon Paradigm)**  
following Shannon limit & well-developed near limit
  - **Semantic exchange of source information**  
semantic communications (transmission of intelligence)
  - **Effects of semantic information exchange**
- **Semantic Communications: Significantly improved efficiency!**



C. E. Shannon and W. Weaver, *The Mathematical Theory of Communication*. The University of Illinois Press, 1949.


# Conventional Communications

- Only consider the **data recovery accurately**
- Information redundancy are removed in **entropy-domain**
- All information (including **useless and irrelevant**) is transmitted to the receiver, part is useless for the target network



# Semantic Communications

- **Feature** networks and **action** networks considered
- Information redundancy removed in **semantic domain**
- Only **useful and relevant** information transmitted to the receiver
- The features can serve **different** action networks






# Outline

- Overview
- DL-based Conventional Communications
  - \* **Block-Wise**
  - \* End-to-End
- DL-based Semantic Communications
- Conclusions

# Channel Estimation (CE) and Signal Detection (SD)



## ➤ Related works:

- ❑ MMSE for channel estimation
- ❑ Neural networks and DL in equalization and decoding

## ➤ Challenges:

- ❑ Nonlinear distortion and interference

## ➤ Innovations:

- ❑ DL for joint channel estimation and symbol detection
- ❑ DL-based method: robust and insensitive to nonlinear distortion and interference


# Traditional CE and SD

## Robust Channel Estimation for OFDM Systems with Rapid Dispersive Fading Channels

Ye (Geoffrey) Li, *Senior Member, IEEE*, Leonard J. Cimini, Jr., *Senior Member, IEEE*,

*Abstract*— modulation bit rates r channel es differential to-noise ra keying (PS by using co for OFDM (MMSE) c and frequ of time-va statistics at the estimat estimator t channel est OFDM sys


*Index Te* division m dispersive



position has been estimator -domain studied. are-error We first e of the ent times nels, the ent times on of the nce, our in filter oy time-pend on resent a

*Robust* estimator, that is, an estimator that is not sensitive to the channel statistics. Computer simulation demonstrates that the performance of OFDM systems using coherent demodulation based on our channel estimator can be significantly improved

# DL-based CE and SD



- Input: received pilot OFDM block + received data OFDM block
- Output: recovered data

H. Ye, G. Y. Li, and B.-H. F. Juang, "Power of deep learning for channel estimation and signal detection in OFDM systems," *IEEE Wireless Commun. Lett.*, vol. 7, no. 1, pp. 114 - 117, Feb. 2018.

# Model-Driven DL

- ❑ Relying on relatively accurate model
- ❑ Exploiting rich domain/expert knowledge
- ❑ Easy to train with a small amount of data
- ❑ Explainable and predictable neural networks
- ❑ **Deep unfolding**: a popular model-driven approach

H.-T. He, S. Jin, C.-K. Wen, F.-F. Gao, G. Y. Li, and Z.-B. Xu, "Model-driven deep learning for physical layer communications," *IEEE Wireless Commun*, vol. 26, no. 5, pp. 77- 83, Oct. 2019.

# Example: MIMO Detection

## ➤ MIMO System:

$$\mathbf{y} = \mathbf{H}\mathbf{x} + \mathbf{n}$$

## ➤ **Goal:** estimating $\mathbf{x}$ from received signal $\mathbf{y}$ and channel matrix $\mathbf{H}$

## ➤ **Conventional Detectors:**


- ❑ Optimal detector: **ML** detector, high complexity
  - ❑ Linear detectors: **ZF**, **LMMSE**, low complexity but poor performance
  - ❑ Iterative detectors: **AMP**-based detector, **EP**-based detector, excellent performance, moderate complexity, performance **degradation** with ill-conditioned channel matrix
- ## ➤ **Motivation:** deep learning to perform iterative detection

H.-T. He, C.-K. Wen, S. Jin, and G. Y. Li, "Model-driven deep learning for MIMO detection," *IEEE Trans. Signal Process.*, vol. 68, pp. 1702-1715, March 2020.

# Outline

- Overview
- DL-based Conventional Communications
  - \* Block-Wise
  - \* **End-to-End**
- DL-based Semantic Communications
- Conclusions

# Why End-to-End Learning?



## ➤ Architecture:


- ❑ Representing both transmitter and receiver by DNNs
- ❑ Learning to encode transmit symbols at transmitter
- ❑ Learning to recover transmit symbols at receiver

## ➤ Merits:

- ❑ Achieving global optimum
- ❑ Universal solution to different channels
- ❑ Beating current state-of-arts



# E2E based on Reinforcement Learning



## ➤ Reinforcement Learning Formation:


- Agent: transmitter
- Environment: channel + receiver
- States: source data
- Actions: transmit signals

## ➤ Advantage and Disadvantage:

- Unnecessary for channel modeling
- Hard for continuous action in reinforcement learning

F. Aoudia, and J. Hoydis. "End-to-end learning of communications systems without a channel model," *arXiv preprint arXiv: 1804.02276*

# E2E based on Conditional GAN




- Using CNN to address curse of dimensionality
- Conditional GAN: modelling the channel output distribution
- Surrogate of real channel when training the transmitter
- Received pilots as a part of conditioning for unknown channel

H. Ye, L. Liang, G. Y. Li, and B.-H. F. Juang, "Deep learning based end-to-end wireless communication systems with GAN as unknown channel," *IEEE Trans. Wireless Commun.*, vol. 19, no. 5, pp. 3133-3143, May 2020.

# Performance for WINNER II Channels

- Similar BER at low SNR
- Better at high SNR




# Outline

- Overview
- DL-based Conventional Communications
  - \* Block-Wise
  - \* End-to-End
- **DL-based Semantic Communications**
- Conclusions

# Information Content of English & Semantic Encoding

- **Encoding English Words Letter-by-Letter**
  - In English, on average there are 4.5 letters per word
  - 5.5 characters per word if including space
  - 5 bits to encode each letter (26 letters)
  - 27.5 bits/word ( $5 \times 5.5 = 27.5$ ) **Need a codebook of 26 letters**
- **Encoding English Words Word-by-Word**
  - 171,476 English words (from Google)
  - 18 bits/word ( $2^{17} < 171,476 < 2^{18}$ ) **Need a codebook of 171,476 words**
- **Encoding English Semantically**
  - i.e., only 1 bits if answering YES or NO a question
  - .... **More Efficient!** **Need an extremely huge codebook**

# Example on Semantic Communications



W. Tong and G. Y. Li "Nine critical issues in AI and wireless communications to ensure successful 6G," to appear in *IEEE Wireless Commun.*, also at <https://arxiv.org/abs/2109.11320>, Aug. 2021.

# Semantic Transceiver

## ● Transceiver


### ➤ Transmitter

$$\mathbf{X} = C_{\alpha}(S_{\beta}(s)),$$

### ➤ Receiver

$$\mathbf{Y} = \mathbf{H}\mathbf{X} + \mathbf{N},$$

$$\hat{s} = S_{\chi}^{-1}(C_{\delta}^{-1}(\mathbf{Y}))$$



## ● Channels

### ➤ Physical channel noise is caused by the **physical channel impairment**

- AWGN, fading channels...

### ➤ Semantic channel noise refers to **misunderstanding**



- Caused by interpretation error and disturbance in estimated information.

H. Xie, Z. Qin, G. Y. Li, and B.-H. Juang, "Deep learning enabled semantic communication systems," *IEEE Trans. Signal Process.* vol. 69, pp. 2663-2675, 2021, Apr. 2021.

# Transceiver Structure

## Transformer based semantic communication

- Merge the traditional communication and semantic into DNNs
- Transformer can learn the semantic in text
  - e.g., “it” completes pronoun reference “the animal”



A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, Ł. Kaiser, and I. Polosukhin, "Attention is all you need," in *Advances Neural Info. Process. Systems (NIPS'17)*, Long Beach, CA, USA. Dec. 2017, pp. 5998–6008.



# Loss Function

- Loss function used to train the transceiver

$$\mathcal{L}_{\text{total}} = \mathcal{L}_{\text{CE}}(\mathbf{s}, \hat{\mathbf{s}}; \boldsymbol{\alpha}, \boldsymbol{\beta}, \boldsymbol{\chi}, \boldsymbol{\delta}) - \lambda \mathcal{L}_{\text{MI}}(\mathbf{x}, \mathbf{y}; T, \boldsymbol{\alpha}, \boldsymbol{\beta})$$

- **Cross-Entropy:** Through reducing the loss value of channel encoder, the network can learn the **syntax, phrase, the meaning of words**


$$\begin{aligned} \mathcal{L}_{\text{CE}}(\mathbf{s}, \hat{\mathbf{s}}; \boldsymbol{\alpha}, \boldsymbol{\beta}, \boldsymbol{\chi}, \boldsymbol{\delta}) = \\ - \sum_{i=1} q(w_i) \log(p(w_i)) + (1 - q(w_i)) \log(1 - p(w_i)) \end{aligned}$$

- **Mutual Information:** **maximizing** achieved data rate

$$\mathcal{L}_{\text{MI}}(\mathbf{X}, \mathbf{Y}; T) = \mathbb{E}_{p(x,y)} [f_T] - \log(\mathbb{E}_{p(x)p(y)} [e^{f_T}])$$

# Two-Step Training

- Maximizing mutual information
- Train the whole model



# Performance Metrics

## ● BLEU score

- Compare the difference between words in two sentences

$$\log \text{BLEU} = \min \left( 1 - \frac{l_{\hat{s}}}{l_s}, 0 \right) + \sum_{n=1}^N u_n \log p_n.$$

- $l_s$  is the length of sentence  $s$ ,  $l_{\hat{s}}$  is the length of sentence  $\hat{s}$
- $p_n$  is the n-grams score,  $u_n$  is the weights of n-grams

## ● Sentence Similarity

- Use **siamese network** to compute the semantic similarity

$$\text{match}(\hat{s}, s) = \frac{B_{\Phi}(s) \cdot B_{\Phi}(\hat{s})^T}{\|B_{\Phi}(s)\| \|B_{\Phi}(\hat{s})\|}.$$

- $B_{\Phi}(\cdot)$  is the BERT model
- Sentence,  $s$ , will be mapped into **semantic vector space**,  $B_{\Phi}(s)$ , by BERT model
- Similarity is computed by measuring **distance** between  $B_{\Phi}(s)$  and  $B_{\Phi}(\hat{s})$

# Simulation Setting

## ● Dataset

- The proceedings of the European Parliament



## ● Proposed network architecture

- Transmitter:
  - 3 layers of Transformer encoder and 2 dense layers
- Receiver:
  - 2 dense layers and 3 layers of Transformer decoder

## ● Benchmark

- Deep Learning based joint source-channel coding (DL based JSC coding)
- Traditional methods
  - Source coding: Huffman coding
  - Channel coding: Turbo code
  - Modulation: 64-QAM

# Simulation Results



- All deep learning approaches are more competitive in the **low SNR regime**.
- The tendency in sentence similarity is much closer to **human judgment**.
  - In SNR = 12 dB, **20%** BLEU score = **approximate 0** sentence similarity
  - People are usually **unable** to understand the meaning of **texts full of errors**

# Outline

- Overview
- DL-based Conventional Communications
  - \* Block-Wise
  - \* End-to-End
- DL-based Semantic Communications
- **Conclusions**

# Conclusions

## ❑ For Conventional Communications

- \*Robust to nonlinear distortion, interference, & frequency selectivity
- \*Improving performance of iterative detectors and adapt to complicated channels

## ❑ End-to-end Communication Architecture

- \* Enabling global optimization of transceiver
- \* Potentially reducing the complexity

## ❑ Semantic Communications

- \*Significantly improving transmission efficiency
- \*Future of wireless communications